EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	storage.as. and ip adj forwarder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:03
L2	1110	forward\$3 near1 rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:06
L3	0	forward\$3 near1 rule with route adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:06
L4	0	forward\$3 near1 rule same route adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:07
L5	898	route adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:07
L6	13	route adj server with rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:07
L7	5	route adj server with criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:12
L8	70	rout\$3 adj server with criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:13
L9	36	"366221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:14

L10	43	"366266"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:22
L11	33	"366226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:23
L12	8029	(rout\$3 forward\$3) adj table with (route topology (polic\$5 security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:46
L13	1	(rout\$3 forward\$3) adj (table database) with (route with topology with (polic\$5 security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:46
L14	3	(rout\$3 forward\$3) adj (table database) same (route with topology with (polic\$5 security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:47
L15	38	(rout\$3 forward\$3) adj (table database) same (topology with (polic\$5 security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:47
L16	40	(rout\$3 forward\$3) adj2 (table database) same (topology with (polic\$5 security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:48
L17	1	(rout\$3 forward\$3) adj2 (table database) same (topology with (polic\$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:48
L18	6	(rout\$3 forward\$3) adj2 (table database) same (topology with (polic\$5 security cost)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 23:49
S82	2	(calculat\$3 comput\$3 determin\$3) with (topology and poli\$5 and (route path)) with (rule criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 13:57

S83	0	(calculat\$3 comput\$3 determin\$3) with (topology and poli\$5 and (route path)) with (rule criteria) near2 (forward\$3 transmi\$5 send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 13:58
S84	0	(topology and poli\$5 and (route path)) with (rule criteria) near2 (forward\$3 transmi\$5 send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 13:59
S85	3	(topology and poli\$5 and (route path)) same (rule criteria) near2 (forward\$3 transmi\$5 send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 13:59
S86	3	(topology and (poli\$5 security) and (route path)) same (rule criteria) near2 (forward\$3 transmi\$5 send \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 14:00
S87	748	(topology and (poli\$5 security) and (route path)) and (rule criteria) near2 (forward\$3 transmi\$5 send \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 14:01
S88	49	(topology and (poli\$5 security) and (route path)) and (rule criteria) near2 (forward\$3 transmi\$5 send \$3) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 14:54
S89	2	"20050063383"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 15:54
S90	346	(calculat\$3 comput\$3 determin\$3) with forward \$3 near2 (rule criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 15:58
S91	37	(calculat\$3 comput\$3 determin\$3) with forward \$3 near2 (rule criteria) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 16:43
S92	342	forward\$3 near2 (rule criteria) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 16:46

S93	32	forward\$3 near2 (rule criteria poli\$3) same packet and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 16:46
S94	39	forward\$3 near2 (rule criteria poli\$3) and "370"/ \$.ccls. and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 17:33
S 95	80	forward\$3 with (rule criteria poli\$3) with packet and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 17:38
S113	2049	(rule criteria) same (topology same (route path) (polic\$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:24
S114	1127	(rule criteria) with (topology same (route path) (polic\$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:24
S115	178	(rule criteria) with (topology same (route path) (polic\$5 security)) same (packet frame cell message) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:25
S116	0	(rule criteria) with (topology same (route path) same (polic\$5 security)) same (packet frame cell message) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:25
S117	0	(rule criteria) with (topology same (route path) same (polic\$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:25
S118	0	(rule criteria) with (topology same (route path link port) same (poli \$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:26
S119	6	(rule criteria) same (topology same (route path link port) same (poli \$5 security)) and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 18:26

S120	9	forward\$3 same (topology	US-PGPUB;	OR	ON	2008/06/19
		same (route path link	USPAT; USOCR;			18:29
		port) same (poli\$5	EPO; JPO;			
		security)) and	DERWENT;			
		@ad<"19971003"	IBM_TDB		-	

6/20/2008 1:00:49 AM